

# The new ProfiLine dishwashers Faster, more powerful, more convenient



**ProfiLine:**  
**Fast cycle**  
**built-in dishwashers**

# The new ProfiLine dishwashers

## Built for the rough and tumble of everyday life

Fast, powerful, convenient – all attributes of the perfect dishwasher. And all properties combined in the new ProfiLine dishwashers from Miele Professional. Short cycle times, high cleaning performance and ease of use. In short, perfect no-fuss dishwashing.



**ProfiLine:**  
**Fast cycle**  
**built-in dishwashers**

### Rises to meet all challenges

Breakfast, lunch breaks, meetings, appointments with clients – in modern business life, there is no shortage of reasons for serving tea or coffee, leaving crockery to pile up in the kitchen.

The ProfiLine dishwashers from Miele Professional are the response to such challenges in:

- Offices
- Legal practices
- Agencies
- Showrooms
- Clubhouses
- Cookery studios

But even private households having to cope with large quantities of crockery and requiring short programme cycles are bound to profit from the new ProfiLine dishwashers.

### The right dishwasher for each situation

The range of models offered by Miele's new ProfiLine dishwashers comprises the following versions:

- Freestanding unit: PG 8080
- Built-under unit: PG 8080 U
- Integrated unit: PG 8081 i
- Integrated version with XXL cabinet: PG 8082 SCi
- Fully integrated version with XXL cabinet: PG 8083 SCVi

### Your benefits

#### Professional

- Ideal for dishwashing in kitchens in office blocks, clubhouses and private households
- Flexible installation

#### Faster

- Shortest programme cycle lasting only 18 mins. for 32 A version when connected to hot water

#### Powerful

- For veritable mountains of crockery, frequent dishwashing and very fast cleaning

#### Greater convenience

- Door opens automatically at end of programme
- Convenient refilling of salt container
- Connection for liquid detergent dispenser

#### Greater efficiency

- Consumption has been reduced on average by 10% compared with the previous series.
- Label programme Energy efficiency category A+



# 25 years of the cutlery tray The success story continues!

The invention of the cutlery tray in 1987 revolutionised cutlery care: Never before had cutlery been cleaned as hygienically in a dishwasher. As all items of cutlery are kept separate, they are both washed and dried perfectly – and are not scratched or damaged in the process. Removal of clean cutlery is both convenient and hygienic. And there is more room for plates in the lower basket.

Exclusive to  
**MIELE**

## 3D cutlery tray: Taking cutlery care onto the next level.

Miele's new 3D cutlery tray can be adjusted in all three directions and adapts perfectly to various load arrangements. This allows awkward items such as whisks and soup ladles to be given their rightful place and be washed gently. Adjusting the side sections of the cutlery tray allows tall stemware to be held securely in the upper basket.



## PremiumComfort basket



### PremiumComfort basket

- Height-adjustable upper basket
- Cutlery basket on models PG 8080, PG 8080 U and PG 8081 i
- 3D cutlery tray on models PG 8082 SCi, PG 8083 SCVi
- Stainless-steel basket handles on models PG 8081 i, PG 8082 SCi and PG 8083 SCVi
- Hinged row of spikes in upper basket
- Jumbo cup rack in upper basket (width adjustable)
- MultiComfort area in lower basket
- 2 rows of spikes in lower basket (right and left, hinged)
- 2 height-adjustable glass holders in lower basket (on sides at rear)

### Perfect handling

Thanks to their redesigned runners and new wheels, ProfiLine baskets can be pulled out with ease by taking hold of the new, prominent basket handles.

### The lower basket

Even large plates can be conveniently positioned in three rows in the lower basket. The removable MultiComfort rack accommodates even larger items such as cutting boards, platters or even cooker hood filters. Hinged rows of spikes create a flat basket base for large pots and pans when needed. Glass racks on both sides offer tall stemware a secure hold. The bottle holder can be folded away when not in use.

### The upper basket

The height-adjustable upper basket is also highly flexible, thanks to hinged rows of spikes, a jumbo-size cup rack and height-adjustable glassware rails – making way for 13 to 14 place settings.



### The cutlery basket

The cutlery basket boasts a new, contemporary design. It can be positioned where suitable over the front row of spikes in the lower basket. On dishwashers with a cutlery tray, a cutlery basket can be used to create space for even more cutlery.

The new ProfiLine dishwashers offer a multitude of features which make dishwashing refreshingly convenient and ensure top-class results.

Many features are in fact unique to Miele dishwashers and have been patented:

- Miele's unique cutlery tray <sup>1)</sup>
- GlassCare technology <sup>2)</sup>
- A salt container <sup>3)</sup> in the dishwasher door
- AutoOpen dishwasher door <sup>4)</sup>

Exclusive to  
**MIELE**

1) Patent DE 10 2008 062 761 B3  
2) European patent EP 1 080 681  
3) European patent EP 1 457 153 B  
4) Patent DE 10 2007 008 950.5



### Best care for valuable glassware

Soft water enhances cleaning performance in a dishwasher but is aggressive to glassware. Consequently, all Miele dishwashers feature Perfect GlassCare <sup>2)</sup> technology. This feature ensures that the water used has the correct mineral content. This helps protect glassware and keeps stemware looking as good as new.



### Superb hygiene

In office kitchens available to staff and visitors, hygiene must be high on the agenda. The new ProfiLine dishwashers operating on the fresh water principle achieve extremely hygienic results thanks to their high main wash and rinse temperatures, particularly in the 'Hygiene' programme.



### Perfect illumination for easier loading

4 powerful LEDs immerse the dishwasher interior in brilliant light. The area in front of the dishwasher is also well lit, significantly improving loading and unloading. Even baskets pulled out for loading and unloading are brightly lit – a particular benefit in a dimly lit kitchen.



### Salt easy to refill

The patented salt container <sup>3)</sup> is conveniently located in the dishwasher door. Refilling is simple and straightforward and done with the door in the half-open position.



### ComfortClose – Miele's premium door feature

Benefit from the ease with which Miele's dishwasher door opens and closes. Convenient: The motorised door remains stationary in any position and closes as if of its own accord when pushed slightly.



### Efficient dishwashing

When used several times a day, the short cycles and low water and electricity consumption offered by ProfiLine dishwashers are important aspects. On the new ProfiLine dishwashers, consumption has been reduced on average by 10% compared with the previous generation.

In the 'ECO' programme, ProfiLine dishwashers\* are even 30% more efficient in terms of water and electricity use than their predecessors and even achieve an A+ for energy efficiency.



### Automatic dispensing of liquid detergent

Dispensing liquid detergent via an external dispenser is both convenient and precise.



### Patented <sup>4)</sup> AutoOpen function: For perfectly dry crockery

Selecting enhanced drying automatically opens the dishwasher door at the end of a programme. Glassware and crockery is perfectly dried and cools down faster.



It is the small details that makes dishwashing with ProfiLine so effective, convenient and safe. Since 2006, the European Machinery Guideline has played a significant role in guaranteeing the safety of machines put to commercial use. The aim is to take the greater risk potential of commercial machines into account and in particular to ensure that persons operating machines are properly protected during their daily work. All Miele Professional machines comply with this guideline in full.



Proof of high-level customer satisfaction is furnished by a recent survey conducted in 2011 by the independent 'Mercuri International' institute: 97% of customer stated that they would buy their machines again from Miele Professional!



**CleanSteel: Fewer fingerprints – greater convenience**

Miele stainless-steel fascia panels feature a special CleanSteel finish. This prevents visible fingerprints. CleanSteel is also easy to clean - without the need for special detergents.



**Child-safety switch, control indicators: Simply safe!**

The child-safety lock integrated into the handle recess protects against tampering and misuse, for example by small children. Highly visible indicators provide information on when salt and rinse aid need replenishing or when a programme has ended.



**WaterProof system: Guaranteed safety**

To protect against flooding, all Miele dishwashers feature the Miele Waterproof System. If properly installed, Miele assumes a life-long guarantee for the Waterproof System.



**Operation – consistently simple**

Miele ProfiLine dishwashers spoil users with a high-end user interface: Convenient push-buttons, a text display with prompts and an uncluttered, easy-to-read fascia panel. All Miele dishwashers are simple and intuitive to use, reading across from one side to the other.

**Fascia design**

Depending on the model, the dishwasher fascia is either straight or inclined. All that is visible on fully integrated units once the door is closed is the cabinet front or a sleek stainless-steel panel.

**Six buttons for nine programmes**

The range of programmes is as broad as the controls are simple: Special programmes for glassware and plastics, a cold rinse, energy efficiency, thoroughness and a very fast wash.

**The controls**

The display represents the central control element, showing all programmes and additional functions in the user's language and prompting the user into action, as required, for example to replenish salt or detergent. Programmes are easy to select using the programme selector buttons. An LED indicator highlights the programme selected.

**Programmes selection:**

A total of nine programmes are available. The 'Short', 'Medium', 'Intensive', 'Glassware' and 'Hygiene' programmes can be selected straight from the display. At the push of a single button, further programmes ('Plastics', 'Beer glasses', 'Cold rinse' and 'ECO') can be selected.

**The benefits at a glance**

- Simple controls
- Convenient programme selection
- Programme data and countdown time indicated
- 9 programmes to suit individual applications
- Delay start, up to 24 h in advance

\*) Equates to 7500 programme cycles

Illustration shows PG 8082 SCi

# Overview of products and features

Model/Sales designation	PG 8080	PG 8080 U
<b>Capacity</b>		
Max. cycles per day	5	5
'Short' cycle duration in mins.*	18	18
<b>Design</b>		
Freestanding unit with laminate lid	•	–
Built-under unit without laminate lid, plinth return [mm]	–	• 30-95
Integrated/fully integrated, plinth return [mm]	–	–
<b>Fascia panels</b>		
Brilliant white	•	•
CleanSteel	–	–
<b>Design / Convenience</b>		
Fascia design and user interface	Straight with pushbuttons	Straight with pushbuttons
Countdown indicator, 24 h delay start	•/•	•/•
Door salt container	•	•
BrilliantLight	–	–
ComfortClose	•	•
Liquid dispensing using G 60 SEMI module possible	• Optional extra	• Optional extra
Sound emissions dB(A) re 1 pW	49	49
<b>Gentle treatment of crockery and glassware</b>		
Perfect GlassCare	•	•
<b>Dishwashing programmes</b>		
No. of dishwashing programmes	9	9
Intensive cleaning	Intensive/Hygiene 75°C	Intensive/Hygiene 75°C
Fast, simple cleaning	Short/Medium 65°C	Short/Medium 65°C
Gentle cleaning of glassware	Glasses/Beer glasses 50°C	Glasses/Beer glasses 50°C
Eco programme	42°C	42°C
Programmes for special needs	Cold/pre-wash, Plastics	Cold/pre-wash, Plastics
<b>Drying</b>		
Recirculation Turbothermic drying	•	•
AutoOpen drying	•	•
Additional drying	•	•
<b>Basket design</b>		
Cutlery	Cutlery basket	Cutlery basket
No. of place settings	13	13
<b>Safety</b>		
WaterProof system	•	•
Controls	Display	Display
Fully compliant with Machinery Guideline (2006/42/EG)	•	•
<b>Electrical connection</b>		
1N AC 220-240 V 50 Hz with cable and plug	•	•
Heater rating in kW / Fuse rating	2.1 / 1 x 13 A	2.1 / 1 x 13 A
Total rated load in kW	2.3	2.3
Heater rating in kW / Fuse rating	6.5 / 1 x 32 A	6.5 / 1 x 32 A
Total rated load in kW	6.7	6.7
<b>Water connection</b>		
Cold or hot water (15°C-60°C)	•	•
<b>Dimensions/Weight</b>		
External dimensions H/W/D [mm]	845/598/600	805/598/600
Weight, net [kg]	69	69

\* When connected to hot water supply and 230V 32A



Model/Sales designation	PG 8081 i	PG 8082 SCi XXL	PG 8083 SCVi XXL
<b>Capacity</b>			
Max. cycles per day	5	5	5
'Short' cycle duration in mins.*	18	19	19
<b>Design</b>			
Freestanding unit with laminate lid	–	–	–
Built-under unit without laminate lid, plinth return [mm]	–	–	–
Integrated/fully integrated, plinth return [mm]	• 30-95/-	• 30-95/-	–/ 30-95
<b>Fascia panels</b>			
Brilliant white	–	–	–
CleanSteel	•	•	•
<b>Design / Convenience</b>			
Fascia design and user interface	Inclined with pushbuttons	Inclined with pushbuttons	Fully integrated with pushbuttons
Countdown indicator, 24 h delay start	•/•	•/•	•/•
Door salt container	•	•	•
BrilliantLight	•	•	•
ComfortClose	•	•	•
Liquid dispensing using G 60 SEMI module possible	• Optional extra	• Optional extra	• Optional extra
Sound emissions dB(A) re 1 pW	49	49	49
<b>Efficiency</b>			
Energy efficiency/Cleaning performance/Drying efficiency	A+/A/A	A+/A/A	A+/A/A
Consumption data with ThermoSave® (in ECO programme)	0.50 kWh	0.50 kWh	0.50 kWh
Consumption data (in ECO programme)	1.00 kWh/18 l	1.20 kWh/18 l	1.20 kWh/18 l
<b>Gentle treatment of crockery and glassware</b>			
Perfect GlassCare	•	•	•
<b>Dishwashing programmes</b>			
No. of dishwashing programmes	9	9	9
Intensive cleaning	Intensive/Hygiene 75°C	Intensive/Hygiene 75°C	Intensive/Hygiene 75°C
Fast, simple cleaning	Short/Medium 65°C	Short/Medium 65°C	Short/Medium 65°C
Gentle cleaning of glassware	Glasses/Beer glasses 50°C	Glasses/Beer glasses 50°C	Glasses/Beer glasses 50°C
Eco programme	42°C label programme	42°C label programme	42°C label programme
Programmes for special needs	Cold/pre-wash, Plastics	Cold/pre-wash, Plastics	Cold/pre-wash, Plastics
<b>Drying</b>			
Recirculation Turbothermic drying	•	•	•
AutoOpen drying	•	•	•
Additional drying	•	•	•
<b>Basket design</b>			
Cutlery	Cutlery basket	3D cutlery tray	3D cutlery tray
No. of place settings	13	14	14
<b>Safety</b>			
WaterProof system	•	•	•
Controls	Display	Display	Optical and acoustic
Fully compliant with Machinery Guideline (2006/42/EG)	•	•	•
<b>Electrical connection</b>			
1N AC 220-240 V 50 Hz with cable and plug	•	•	•
Heater rating in kW / Fuse rating	6.5 / 1 x 32 A	6.5 / 1 x 32 A	6.5 / 1 x 32 A
Total rated load in kW	6.7	6.7	6.7
<b>Water connection</b>			
Cold or hot water (15°C-60°C)	•	•	•
<b>Dimensions/Weight</b>			
External dimensions H/W/D [mm]	805/598/570	845/598/570	845/598/570
Weight, net [kg]	59	61	64

\* When connected to hot water supply and 230V 32A



Miele Company Ltd  
Fairacres  
Marcham Road, Abingdon  
Oxfordshire  
OX14 1TW  
Tel 0845 330 3618

www.miele.co.uk  
info@miele.co.uk

## Miele worldwide:

**AUSTRALIA**  
Miele Australia Pty. Ltd.  
1 Gilbert Park Drive  
Knoxfield, VIC, 3180  
Tel. +613 97 64 71 30  
Telefax +613 97 64 71 49

**AUSTRIA**  
Miele Gesellschaft mbH.  
Mielestraße 1  
5071 Wals/Salzburg  
Tel. +43 50 800-81 481  
Telefax +43 50 800-81 429

**BELGIUM**  
N.V. Miele S.A.  
z.5 Mollem 480  
Hof te Bollebeeklaan 9  
1730 Mollem  
Tel. +32 2451 14 11  
Telefax +32 2451 14 14

**CANADA**  
Miele Limited  
161 Four Valley Drive  
Vaughan, ON L4K 4V8  
Tel. +1 905 660-9936  
Telefax +1 904 532-2290

**CHILE**  
Miele Ltda.  
Nueva Costanera 4055  
Vitacura  
Santiago de Chile  
Tel. +56 2 95700-00  
Telefax +56 2 95700-79

**CHINA**  
Miele China Beijing Office  
3F South Tower, Kerry Center  
No 1 Guang Hua Road  
ChaoYang District  
100020 Beijing PRC  
Tel. +86 10 5783 2688  
Telefax +86 10 5783 2600

Miele (Shanghai) Trading Ltd.  
1-3 Floor, No. 82 Shi Men Yi Road,  
Jing An District  
200040 Shanghai PRC  
Tel. +86 21 6135 3559  
Telefax +86 21 6135 3993

**CROATIA**  
Miele trgovina i servis d.o.o.  
Buzinski prilaz 32  
10000 Zagreb  
Tel. +385/1/66 89 000  
Telefax +385/1/66 89 090

**CZECH REPUBLIC**  
Miele spol. s.r.o.  
Holandská 4  
63900 Brno  
Tel. +420 5 4 35 53-1 11  
Telefax +420 5 4 35 53-1 19

**DENMARK**  
Miele A/S  
2600 Glostrup, Erhvervsvej 2  
Tel. +45 43 27 11 00  
Tel. Salg/Professional  
+45 43 27 15 00  
Tel. Jylland +45 97 12 70 66  
Telefax hovednr. +45 43 27 11 09  
Telefax Salg/Professional  
+45 43 27 15 09

**ESTONIA**  
Miele OÜ  
Tornimäe 5  
10145 Tallinn  
Tel. +372 6 55 68 11

**FINLAND**  
Miele Oy  
Porttikaari 6  
01200 Vantaa  
Tel. +3589 87 59 70  
Telefax +3589 87 59 72 99

**FRANCE**  
Miele S.A.S.  
9 avenue Albert Einstein  
93151-Le Blanc-Mesnil (Paris)  
Tel. +33(0)1/49 39 34 44  
Telefax +33(0)1/49 39 44 38

**GERMANY**  
Miele & Cie. KG  
Carl-Miele-Straße 29  
33332 Gütersloh  
Tel. 0 180 220 21 21 (6 ct)\*  
Telefax 0 800 225 57 55  
\*Only in Germany

**GREAT BRITAIN**  
Miele Co. Ltd.  
Fairacres  
Marcham Road, Abingdon  
Oxon OX14 1TW  
Tel. 0845 330 3618  
Telefax 01235 405636

**GREECE**  
Miele Hellas E.P.E.  
Mesogion 257  
154 51 N. Psychiko-Athens  
Tel. national 01/10 6 79 44 44  
international 00 30/2/10 6 79 44 44  
Telefax 01/10 6 79 42 09  
international 00 30/2/10 6 79 42 09

**HUNGARY**  
Miele Kft.  
Alsó Törökvesz út 2.  
1022 Budapest  
Tel. +36 1 8806-400  
Telefax +36 1 8006-402

**HONG KONG**  
Miele (Hong Kong) Ltd.  
41/F - 4101, Manhattan Place  
23 Wang Tai Road,  
Kowloon Bay  
Tel. +852/2610 1331  
Telefax +852/2610 1013

**INDIA**  
Miele India Pvt. Ltd.  
Ground Floor,  
Copia Corporate Suites,  
Plot No. 9, Jasola,  
New Delhi - 110025  
Tel. +91 (0)11 469000-00  
Telefax +91 (0)11 469000-01

**IRELAND**  
Miele Ireland Ltd.  
2024 Bianconi Avenue  
Citywest Business Campus  
Dublin 24  
Tel. +3531 461 07 10  
Telefax +3531 461 07-97

**ITALY**  
Miele Italia S.r.l.  
Strada di Circonvallazione, 27  
39057 S. Michele-Appiano (BZ)  
Tel. +39 04 71/66 61 11  
Telefax +39 04 71/66 63 50

**JAPAN**  
Miele Japan Corp.  
Meguro Yamate Place 9F  
2-10-11 Meguro  
Meguro-ku, Tokyo  
153-0063 Japan  
Tel. +81(3)5740-0034  
Telefax +81(3)5740-0035

**KAZAKHSTAN**  
Miele LLP  
Building 1B (office 602)  
Al-Farabi Pr. 13  
050059 Almaty  
Tel. +7 727 3111141  
Telefax +7 727 3111042

**KOREA**  
Miele Korea Limited  
Miele House 8 fl.,  
607-10 Yeoksam-dong  
Gangnam-gu  
Seoul 135-080  
Tel. +82 2 3451 9353  
Telefax +82 2 3451 9399

**LATVIA**  
Miele SIA  
Zaubes Str. 9A-38  
1013 Riga  
Tel. +371 67889877  
Telefax +371 67889879

**LITHUANIA**  
Miele Appliances UAB  
S. Zukausko g. 2/3-116  
08240 Vilnius  
Tel. +370 52487529  
Telefax +370 52487529

**LUXEMBOURG**  
Miele s.à r.l.  
20, Rue Christophe Plantin  
2339 Luxembourg  
Tel. +352/4 97 11-25  
Telefax +352/4 97 11-39

**MALAYSIA**  
Miele Sdn Bhd  
Suite 12-2, Level 12  
Menara Kencana Petroleum  
Solaris Dutamas  
No. 1, Jalan Dutamas 1  
Kuala Lumpur 50480  
Tel. +603 6205 3899  
Telefax +603 6205 3998

**MEXICO**  
Miele S.A. de C.V.  
Av. Santa Fé 170  
German Centre 0-4-2  
Col. Lomas de Santa Fé  
C.P. 01210 México, D.F.  
Tel. +52/55 85 03 98 70  
Telefax +52/55 85 03 98 74

**NETHERLANDS**  
Miele Nederland B.V.  
De Limiet 2  
4131 NR Vianen  
Tel. +31 3 47/37 88 83  
Telefax +31 3 47/37 84 29

**NEW ZEALAND**  
Miele New Zealand Ltd.  
Unit L, 10-20 Sylvia Park Road  
Mt. Wellington, 1060 Auckland  
Tel. +64 9573 1269  
Telefax +64 9573 1268

**NORWAY**  
Miele AS  
Loxaveien 13  
1351 Rud  
Tel. +47/67 17 31 00  
Telefax +47/67 17 31 10

**POLAND**  
Miele Sp. z. o. o.  
ul. Gotarda 9  
02-683 Warszawa  
Tel. +48 22/5 48 40 00  
Telefax +48 22/5 48 40 10

**PORTUGAL**  
Miele Portuguesa, Lda.  
Av. do Forte, 5  
2790-073 Carnaxide  
Tel. +351/21/42 48-100  
Telefax +351/21/42 48-109

**ROMANIA**  
Miele Appliances SRL  
Intrarea Narciselor 8  
Otopeni  
Jud. Ilfov  
Tel. +40 21 3520777  
Telefax +40 21 3520776

**RUSSIA**  
000 Miele CIS  
Leningradsky Prospekt, 31A, bld. 1  
125284 Moscow  
Tel. +7 495 745-8992  
Telefax +7 495 745-8680

**SERBIA**  
Miele d.o.o. Beograd  
Balkanska 2  
Beograd - Stari Grad 11000  
Tel. +381 11 2055060  
Telefax +381 11 2055065

**SINGAPORE**  
Miele Pte. Ltd.  
163 Penang Road  
#04-02/03 Winsland House II  
Singapore 238463  
Tel. +65/67 35 11 91  
Telefax +65/67 35 11 61

**SLOVAKIA**  
Miele s. r. o.  
Plynárenská 1  
82109 Bratislava  
Tel. +421/2/58 10 31 11  
Telefax +421/2/58 10 31 19

**SLOVENIA**  
Miele d.o.o.  
Brncičeva ulica 41 g  
1231 Ljubljana - Črnuče  
Tel. +386 1563 44-80  
Telefax +386 1563 44-90

**SOUTH AFRICA**  
Miele (Pty) Ltd.  
63 Peter Place  
Bryanston 2194  
Tel. +27(0)11/875-9000  
Telefax +27(0)11/875-9035

**SPAIN**  
Miele S.A.U.  
Carretera de Fuencarral, 20  
28108 Alcobendas (Madrid)  
Tel. +34/91/6 23 20 00  
Telefax +34/91/6 62 02 66

**SWEDEN**  
Miele AB  
Industrivägen 20  
Box 1397  
171 27 Solna  
Tel. +46 85 62 29-000  
Telefax +46 85 62 29-209

**SWITZERLAND**  
Miele AG  
Limmatstr. 4  
8957 Spreitenbach  
Tel. +4156 4 17 20 00  
Telefax +4156 4 17-24 69

**TURKEY**  
Miele Elektrikli Aletler  
Diş. Tic. ve Paz. Ltd. Şti.  
Güvercin Sokak No. 10  
34330 Levent-Istanbul  
Tel. +90/2 12/3 86-08 00  
Telefax +90/2 12/3 25 84 49

**UKRAINE**  
Miele LLC  
Zhylyanskaya Str. 48, 50 A  
01033 Kiev  
Tel. +38 044 4960300  
Telefax +38 044 4942285

**UNITED ARAB EMIRATES**  
Miele Appliances Ltd.  
Gold & Diamond Park  
Sheikh Zayed Road  
Building No. 6,  
Offices No. 219  
Dubai  
Tel. +971 4 3418444  
Telefax +971 4 3418852

**USA**  
Miele, Inc.  
9 Independence Way  
Princeton, NJ 08540  
Tel. 001-800/843 72 31  
Telefax 001-609/419 42 41

**OTHER COUNTRIES:**  
Sales International  
Miele & Cie. KG  
Carl-Miele-Straße 29  
33332 Gütersloh  
Tel. +49(0)52 41-89 15 07  
Telefax +49(0)52 41-89 15 00