

Miele

IMMER BESSER

NOTHING ESCAPES

The Miele AirClean System

99.999%
Hygiene filtration
efficiency

according to European
norm EN 60312



SUPREME POWER

NOTHING ESCAPES

The Miele AirClean System

99.999%
Hygiene filtration
efficiency

according to European
norm EN 60312



SUPREME POWER

Hygiene


Miele vacuum cleaners exceptional overall filtration is based on a multi-stage system. It consists of the innovative Miele HyClean dustbag, motor protection filter and Miele exhaust filter. The interaction of these components ensures that more than 99.9% of fine dust is filtered. **Meaning you can breathe with ease!**



Miele multilayer HyClean dustbag
Dust-free hygienic dustbag replacement
When the vacuum cleaner is opened, the Original Miele HyClean dustbag's collar closes automatically and locks in the vacuumed dust for good. Furthermore, the secure Protector Netting prevents the bag from tearing, even when sharp objects such as glass fragments are vacuumed up. So fine dust which has been vacuumed up cannot escape again.



Miele HEPA 13* AirClean Filter
Filters even fine dust and allergens – ideal for people with house dust allergies.
> 99.999%** overall dust retention capacity of the vacuum cleaner, as well as HEPA 13*



Dust-tight casing
Extreme density - allergens and bacteria remain safely in the sealed system.
(recommended by TÜV, independent German testing institute)



High performance floor head
The AirTeQ floorhead ensures maximum suction power is achieved at the floorhead. Even with a low power setting.

Quality

Tested to last the equivalent of 20 years*

Miele vacuum cleaner quality tests

No daily cleaning routine will ever be as tough as a Miele product test: Before Miele vacuum cleaners go into production they must withstand extreme stress in our test laboratory, e.g.:



Crash-test: So robust!

In real life a Miele vacuum cleaner must endure many door thresholds and impacts – in this test 16,500 times in a row. This is where Miele casings and swivel castors prove their resilience.

Cleaning performance

High motor power alone does not guarantee a good vacuum cleaner. With Miele, a number of design characteristics interact in a most efficient manner. The vacuum cleaner's tight seal as well as the aerodynamic design of all components ensure perfect air flow. This ensures maximum suction power is achieved at the floorhead.

Convenience

Miele has developed many clever technologies to make floor care as easy as possible for you. For instance the convenient handle controls that enable you to regulate suction power at the touch of a finger. Without inconvenient stooping.

* according to European norm EN1822-1:2011

Vacuum Cleaners Classic C1

Product Overview



Model	Classic C1 PowerLine
User convenience	
Electronic suction power control	Rotary selector
Ergonomic handle/XXL handle	-/•
Comfort handle/Comfort handle with SpotLight	-/-
Comfort handle with integrated controls	-
Silence System/Silence System Plus	•/-
Suction tube	Stainless steel telescopic tube
Park system for vacuuming breaks/with automatic switch-off	•/-
Park system for storage	One side
Comfort cable rewind	-
Efficiency and sustainability	
Nominal power consumption in W	1300
Performance data	
Max. power in W	1400
Mobility	
Castors with steel shaft gentle on floors	•
Dynamic drive/3-point manoeuvrability	-/•
Operating radius in m	9
Filter system	
Type of dustbag/Dustbag volume in l	HyClean GN/4,5
Dustbag change/Exhaust filter change indicator	•/-
Exhaust filter/Motor protection filter	AirClean filter/•
Safety	
Locking system for floor head and handle	•
Automatic dustbag positioning	•
All-round bumper strip	-
Standard accessories	
Three-piece accessory set	On VarioClip
Upholstery nozzle/Crevice nozzle	•/•
Crevice nozzle, extra long SFD 10/flexible SFD 20	-/-
Dusting brush with synthetic bristles/Dusting brush with natural bristles	•/-
Radiator brush SHB 20/Mattress nozzle SMD 10	-/-
Wide upholstery nozzle SPD 10/Flexible suction hose SFS 10	-/-
Floor head	SBD 350
Turbobrush	-
Colour	Sprint Blue
Price	R 2,999.00

Vacuum Cleaners Complete C3

Product Overview



Model	Complete C3 PowerLine	Complete C3 Allergy PowerLine
User convenience		
Electronic suction power control	+/- footswitches	+/- footswitches
Ergonomic handle/XXL handle	•/-	•/-
Comfort handle/Comfort handle with SpotLight	-/-	-/-
Comfort handle with integrated controls	-	-
Silence System/Silence System Plus	•/-	•/-
Suction tube	Stainless steel telescopic tube	Stainless steel telescopic tube
Park system for vacuuming breaks/with automatic switch-off	•/-	•/-
Park system for storage	Both sides	Both sides
Comfort cable rewind	•	•
Efficiency and sustainability		
Nominal power consumption in W	1,700	1,700
Performance data		
Max. power in W	2,000	2,000
Mobility		
Castors with steel shaft gentle on floors	•	•
Dynamic drive/3-point manoeuvrability	-/•	-/•
Operating radius in m	11	11
Filter system		
Type of dustbag/Dustbag volume in l	HyClean GN/4,5	HyClean GN/4,5
Dustbag change/Exhaust filter change indicator	•/-	•/-
Exhaust filter/Motor protection filter	AirClean filter/•	HEPA AirClean filter/•
Safety		
Locking system for floor head and handle	•	•
Automatic dustbag positioning	•	•
All-round bumper strip	•	•
Standard accessories		
Three-piece accessory set	Integrated	Integrated
Upholstery nozzle/Crevice nozzle	•/•	•/•
Crevice nozzle, extra long SFD 10/flexible SFD 20	-/-	-/-
Dusting brush with synthetic bristles/Dusting brush with natural bristles	-/•	-/•
Radiator brush SHB 20/Mattress nozzle SMD 10	-/-	-/•
Wide upholstery nozzle SPD 10/Flexible suction hose SFS 10	-/-	-/-
Floor head	SBD 285-3	SBD 285-3
Turbobrush	-	-
Colour	Canary yellow	Lotus white
Price	R 3,499.00	R 3,999.00

Vacuum Cleaners Complete C3

Product Overview



Model	Complete C3 Cat & Dog PowerLine	Complete C3 PowerLine Comfort
User convenience		
Electronic suction power control	+/- footswitches	Handle controls
Ergonomic handle/XXL handle	•/-	•/-
Comfort handle/Comfort handle with SpotLight	-/-	•/-
Comfort handle with integrated controls	-	•
Silence System/Silence System Plus	•/-	•/•
Suction tube	Stainless steel telescopic tube	Stainless steel telescopic tube
Park system for vacuuming breaks/with automatic switch-off	•/-	•/•
Park system for storage	Both sides	Both sides
Comfort cable rewind	•	•
Efficiency and sustainability		
Nominal power consumption in W	1,700	1,700
Performance data		
Max. power in W	2,000	2,000
Mobility		
Castors with steel shaft gentle on floors	•	•
Dynamic drive/3-point manoeuvrability	-/•	•/-
Operating radius in m	11	11
Filter system		
Type of dustbag/Dustbag volume in l	HyClean GN/4,5	HyClean GN/4,5
Dustbag change/Exhaust filter change indicator	•/-	•/•
Exhaust filter/Motor protection filter	Active AirClean filter/•	HEPA AirClean filter/•
Safety		
Locking system for floor head and handle	•	•
Automatic dustbag positioning	•	•
All-round bumper strip	•	•
Standard accessories		
Three-piece accessory set	Integrated	Integrated
Upholstery nozzle/Crevice nozzle	•/•	•/•
Crevice nozzle, extra long SFD 10/flexible SFD 20	-/-	-/-
Dusting brush with synthetic bristles/Dusting brush with natural bristles	-/•	-/•
Radiator brush SHB 20/Mattress nozzle SMD 10	-/-	-/-
Wide upholstery nozzle SPD 10/Flexible suction hose SFS 10	-/-	-/-
Floor head	SBD 285-3	SBD 285-3
Turbobrush	STB 205-3	-
Colour	Mango red	Navy blue
Price	R 4,499.00	R 4,999.00

Vacuum Cleaners Dynamic U1

Product Overview



Model	Dynamic U1 Cat & Dog PowerLine
User convenience	
Electronic suction power control	Rotary selector/Handle controls
Illuminated power indicator	-
Quick-release cable hook	•
On/Off switch for appliance in the handle	•
Automatic deactivation of beater bar in park position	•
Ergonomic carrying handle	•
Ergonomic handle	-
Comfort handle with integrated controls	-
Flexible suction hose with comfort handle	•
Silence System/Silence System Plus	-/-
Automatic setting	-
Auto pile adjustment	•
Efficiency and sustainability	
Nominal power consumption in W	1,400
Mobility	
Operating radius in m	14
Cable length in m	10
Flexible suction hose, length in m	3,7
Filter system	
Type of dustbag	U
Dustbag volume in l	6,0
Dustbag change/Exhaust filter change indicator	•/-
Exhaust filter/Motor protection filter	Active AirClean filter/•
Safety	
Automatic dustbag positioning	•
Indicator light for thermal protection	•
Electrobrush with safety switch-off	•
Standard accessories	
Upholstery nozzle/Crevice nozzle	•/-
Crevice nozzle, extra long SFD 10/flexible SFD 20	•/-
Dusting brush with synthetic bristles/Dusting brush with natural bristles	-/•
Colour	Mango red
Price	R 6,999.00

Vacuum Cleaner Accessories



HyClean 3D Efficiency GN dustbags

To securely lock the vacuumed dust inside the bag

- Filters out more than 99.9% of all fine dust particles
- Highest efficiency, even on vacuum cleaners on low power setting
- Longer use thanks to 3D technology of dustbag
- Clean replacing of dustbag thanks to automatic dustbag seal
- Contents: 4 dustbags, 1 motor protection filter, 1 exhaust filter
- For all S2, S5, S8, Complete C2-C3 and Classic C1 models

M.-Nr. 9.917.730 0,00*




Original Miele HyClean U dustbag

To securely lock the vacuumed dust inside the bag

- Filters out more than 99.9% of all fine dust particles
- Dust particles cannot escape thanks to perfectly fitting components
- Tear resistant thanks to an impact-proof liner preventing damage even in the event of sharp items entering the bag
- Clean replacing of dustbag thanks to automatic dustbag seal
- Contents: 4 dustbags, 1 motor protection filter, 1 exhaust filter
- For all Dynamic U1 models

M.-Nr. 7.282.050 0,00*




Active AirClean filter SF-AAC 30

For effective filtration of unpleasant odours

- With active charcoal: Ideal for households with pets or smokers
- Safely seals in the dust
- With timestrip® filter replacement indicator
- To maintain appliance performance, change the filter once a year
- Contents: 1 filter
- For all S2, S300-800, S7 and Complete C1, Classic C1, Dynamic U1 models

M.-Nr. 9.616.080




Active AirClean filter SF-AAC 50

For effective filtration of unpleasant odours

- With active charcoal: Ideal for households with pets or smokers
- Safely seals in the dust
- With timestrip® filter replacement indicator
- To maintain appliance performance, change the filter once a year
- Contents: 1 filter
- For all S4, S5, S6, S8 and Compact C1-C2, Complete C2-C3 models

M.-Nr. 9.616.110




HEPA AirClean filter SF-AH 30

Ideal for those allergic to house dust, $\geq 99.95\%$ dust retention.

- HEPA class 13 in accordance with EN 1822/2011
- With timestrip® filter replacement indicator
- To maintain appliance performance, change the filter once a year
- Contents: 1 filter
- For all S2, S300-800, S7 and Complete C1, Classic C1, Dynamic U1 models

M.-Nr. 9.616.270 0,00 EUR*



HEPA AirClean filter SF-AH 50

Safely traps fine dust and allergens
Ideal for those allergic to house dust, $\geq 99.95\%$ dust retention.

- HEPA class 13 in accordance with EN 1822/2011
- With timestrip® filter replacement indicator
- To maintain appliance performance, change the filter once a year
- Contents: 1 filter
- For all S4, S5, S6, S8 and Compact C1-C2, Complete C2-C3 models

M.-Nr. 9.616.280 0,00 EUR*

**Miele****IMMER BESSER****Miele (Pty) Ltd**

Please contact any of our Miele centres
for your closest Miele agent for more info

Johannesburg Tel 011 875 9000, Bryanston

Pretoria Tel 012 346 3030, Brooklyn

Cape Town Tel 021 946 3148, Tygervalley

KwaZulu Natal Tel 031 584 6929, Umhlanga

Miele Customer Care Centre**0860 064 353**

Open;

Mon - Fri 8:00 - 17:30 hr

Sat 9:00 - 13:00 hr

Miele Internet**www.miele.co.za****Miele Online shop****www.miele-shop.co.za**

Aktiver Umweltschutz:

Das Papier dieses Prospekts ist 100 % chlorfrei gebleicht.

© Miele & Cie. KG, Gütersloh / M.-Nr. 10 254 090 / Änderungen vorbehalten (11) / 04/15